

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/25/2015 Reviewed on 03/03/2015

1 Identification

- · Product identifier
- · Trade name: Artificial Urine Medium
- · Product number: 1700-0018
- · Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · **Product description** Artificial urine medium
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Pickering Laboratories, Inc.

1280 Space Park Way

Mountain View, CA 94043

Phone: (650) 694-6700

Fax: (650) 968-0749

www.pickeringlabs.com

support@pickeringlabs.com

Emergency telephone number:

Clean Harbors Environmental Services

1-800-645-8265

2 Hazard(s) identification

· Classification of the substance or mixture

The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.

- · Label elements
- · GHS label elements Non-Regulated Material
- · Hazard pictograms Non-Regulated Material
- · Signal word Non-Regulated Material
- Hazard statements Non-Regulated Material
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 0

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0 Fire = 0

REACTIVITY 0 Reactivity = 0

· Hazard(s) not otherwise classified (HNOC): None

3 Composition/information on ingredients

CAS: 7732-18-5	Water, distilled water, deionized water	90-99%
CAS: 57-13-6 RTECS: YR 6250000	Urea	≤ 2.5%

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/25/2015 Reviewed on 03/03/2015

Trade name: Artificial Urine Medium

Dangerous Compone	ents:	
CAS: 7647-14-5 RTECS: VZ4725000	Sodium Chloride STOT SE 3, H335	<1.0%
CAS: 7727-73-3	Sodium sulfate decahydrate	<0.5%
CAS: 7778-77-0	Potassium Phosphate	<0.5%
CAS: 7558-79-4 RTECS: WC 4500000	Sodium Phosphate, dibasic Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335-H336	<0.5%
CAS: 12125-02-9 RTECS: BP 4550000	Ammonium Chloride Acute Tox. 4, H302; Eye Irrit. 2A, H319	<0.5%
CAS: 19230-81-0	Creatinine hydrochloride	<0.5%
CAS: 144-55-8	Sodium Hydrogencarbonate	<0.5%
CAS: 73049-73-7	Peptone Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	<0.5%
CAS: 77-92-9 RTECS: GE 7350000	Citric Acid © Eye Irrit. 2A, H319	<0.05%
CAS: 50-21-5 RTECS: OD 2800000	Lactic Acid Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	<0.05%
CAS: 69-93-2	uric acid	<0.01%
CAS: 8013-01-2	Yeast extracts ◆ STOT SE 3, H335	<0.0005%
CAS: 7782-63-0	Ferrous Sulfate • Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319	<0.0005%

4 First-aid measures

- · Description of first aid measures
- General information: No special measures required.
- · After inhalation: Not anticipated under normal use.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention.

· After swallowing:

Rinse mouth with water ensuring that rinse is not swallowed. Drink 2 glasses of water to dilute and induce vomitting by touching finger to the back of the victims throat. Get medical assistance immediately.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed. No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/25/2015 Reviewed on 03/03/2015

Trade name: Artificial Urine Medium

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Use neutralizing agent.

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with skin, eyes and clothing

Avoid breathing fumes.

Use personal protection equipment as outlined in section 8.

- · Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store frozen
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with occupational exposure limits:

57-13-6 Urea

WEEL Long-term value: 10 mg/m³

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Use adequate exhaust ventilation to prevent inhalation of product vapors.

Do not eat or drink while handling product.

Avoid contact with the eves and skin.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/25/2015 Reviewed on 03/03/2015

Trade name: Artificial Urine Medium

· Breathing equipment:

Respiratory protection is not required unless handling of the material produces nuisance airborne concentrations.

· Protection of hands:



Protective gloves

- · Material of gloves Rubber, latex or vinyl.
- · Penetration time of glove material

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· Eye protection:



Tightly sealed goggles

· Body protection: Lab coat

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Appearance:

Form: Liquid Colorless
Odor: Odorless

· Odor threshold: Not determined.

• **pH-value:** $6.5 \pm 0.1 @25 \pm 0.4 ^{\circ}\text{C}$

Not determined.

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:
Not determined.
Not applicable.

Flash point:
Not applicable.

Ignition temperature:

Decomposition temperature: Not determined.

· **Auto igniting:** Product is not self-igniting.

· Danger of explosion: Product does not present an explosion hazard.

• Explosion limits:

Lower: Not determined. Not determined.

Vapor pressure: Not determined.

Density:

Relative density Vapor densityNot determined.
Not determined.

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/25/2015 Reviewed on 03/03/2015

Trade name: Artificial Urine Medium

Evaporation rate Not determined.

· Solubility in / Miscibility with

Water: Aqueous solution

• Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

Other information
 No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- Chemical stability Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

* 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Mild irritant effect.
- · on the eye: Mild irritant effect.
- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

None of the ingredients are listed.

· NTP (National Toxicology Program)

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/25/2015 Reviewed on 03/03/2015

Trade name: Artificial Urine Medium

- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

This product may be mixed with a combustible solvent and burned in a chemical incinerator equipped with an after burner and scruber. This product can also be sent to an EPA approved waste disposal facility. Observe all federal, state and local environmental regulations when disposing of this material.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number

· DOT, ADN, IMDG, IATA
Non-Regulated Material
· ADR
Non-Regulated Material

Not Regulated

· UN proper shipping name

· DOT, ADR, ADN, IMDG, IATA Non-Regulated Material

Transport hazard class(es)

· DOT, ADR, ADN, IMDG, IATA

· Class Non-Regulated Material

· Packing group

· DOT, ADR, IMDG, IATA Non-Regulated Material

Environmental hazards: Not applicable. Special precautions for user Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation":

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

57-13-6 Urea

7647-14-5 Sodium Chloride

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/25/2015 Reviewed on 03/03/2015

Trade name: Artificial Urine Medium

144-55-8	Sodium Hydrogencarbonate
7778-77-0	Potassium Phosphate
7558-79-4	Sodium Phosphate, dibasic
12125-02-9	Ammonium Chloride
19230-81-0	Creatinine hydrochloride
73049-73-7	Peptone
77-92-9	Citric Acid
7487-88-9	Magnesium Sulphate
50-21-5	Lactic Acid
69-93-2	uric acid
8013-01-2	Yeast extracts
7732-18-5	Water, distilled water, deionized water

- · California Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

57-13-6 Urea

II

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

- · GHS label elements Non-Regulated Material
- Hazard pictograms Non-Regulated Material
- · Signal word Non-Regulated Material
- · Hazard statements Non-Regulated Material
- National regulations:

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

· State Right to Know		
CAS: 57-13-6 RTECS: YR 6250000	Urea	≤ 2.5%
CAS: 7647-14-5 RTECS: VZ4725000	Sodium Chloride STOT SE 3, H335	<1.0%
CAS: 7727-73-3	Sodium sulfate decahydrate	<0.5%
CAS: 144-55-8	Sodium Hydrogencarbonate	<0.5%

(Contd. on page 8)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/25/2015 Reviewed on 03/03/2015

Trade name: Artificial Urine Medium

CAS: 7778-77-0	Potassium Phosphate	<0.5%
CAS: 7558-79-4 RTECS: WC 4500000	Sodium Phosphate, dibasic Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335-H336	<0.5%
CAS: 12125-02-9 RTECS: BP 4550000	Ammonium Chloride • Acute Tox. 4, H302; Eye Irrit. 2A, H319	<0.5%
CAS: 19230-81-0	Creatinine hydrochloride	<0.5%
CAS: 73049-73-7	Peptone Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	<0.5%
CAS: 77-92-9 RTECS: GE 7350000	Citric Acid	<0.05%
CAS: 50-21-5 RTECS: OD 2800000	Lactic Acid Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	<0.05%
CAS: 69-93-2	uric acid	<0.01%
CAS: 8013-01-2	Yeast extracts ♦ STOT SE 3, H335	<0.0005%
CAS: 7782-63-0	Ferrous Sulfate • Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319	<0.0005%
CAS: 10035-04-8	Calcium chloride dihydrate Skin Irrit. 2, H315; Eye Irrit. 2A, H319	<0.05%
CAS: 7487-88-9 RTECS: OM 4500000	Magnesium Sulphate ♦ STOT SE 3, H335	<0.05%
All ingredients are liste	d.	

[·] Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision 06/25/2015 / 1

Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106