

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/19/2019

Reviewed on 11/19/2019

1 Identification

- · Product Identifier
- · Trade Name: 1700-0537
- · Relevant identified uses of the substance or mixture and uses advised against:
- · Product Description: Artificial perspiration with Pyruvic acid
- · Details of the Supplier of the Safety Data Sheet:
- *Manufacturer/Supplier:* Pickering Laboratories, Inc. 1280 Space Park Way Mountain View, CA 94043 Phone: (650) 694-6700 Fax: (650) 968-0749 www.pickeringlabs.com support@pickeringlabs.com
- *Emergency telephone number:* Clean Harbors Environmental Services 1-800-645-8265

2 Hazard(s) Identification

· Classification of the substance or mixture:

The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.

- · Label elements:
- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material
- · Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

- 1.5 % of the mixture consists of component(s) of unknown toxicity.
- Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

| HEALTH 0 | Health = 0 |
|--------------|---------------------|
| FIRE 0 | Fire = 0 |
| REACTIVITY 0 | Physical Hazard = 0 |

· Hazard(s) not otherwise classified (HNOC): None known

Composition/Information on Ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with non-hazardous additions.

| · Dangerous Components: | | |
|-------------------------|---|-------|
| CAS: 12125-02-9 | Ammonium Chloride | ≤2.5% |
| RTECS: BP 4550000 | ♦ Aquatic Chronic 2, H411; ♦ Acute Tox. 4, H302; Acute Tox. 4, H332; Eye Irrit. 2A, H319 | |
| | | |

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/19/2019

Page 2/8

Trade Name: 1700-0537

| CAS: 10326-41-7 | lactic acid | ≤2.5% |
|-------------------|--|-------|
| | 🚸 Skin Irrit. 2, H315; Eye Irrit. 2B, H320 | |
| | Sodium Phosphate, dibasic | ≤2.5% |
| RTECS: WC 4500000 | Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335-H336 | |

Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

[•] Description of first aid measures

General information:

Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.

No special measures required.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in the side position for transportation.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

• After eye contact:

If eye irritation occurs, consult a doctor.

Rinse opened eye for several minutes under running water.

- After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire-Fighting Measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: No further relevant information.
- · Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters
- · Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures: Not required.

• *Environmental precautions:* Do not allow to enter sewers/surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/19/2019

Reviewed on 11/19/2019

Trade Name: 1700-0537

| Protective Action Criteria for Che | micals |
|--|--------|
|--|--------|

| 12125-02-9 | 22-9 Ammonium Chloride 20 | |
|------------|--------------------------------|------------|
| 57-13-6 | 3-6 Urea 30 mg/ | |
| 64-19-7 | 7 Acetic Acid 5 p | |
| • PAC-2: | | |
| 12125-02-9 | 25-02-9 Ammonium Chloride 54 n | |
| 57-13-6 | 57-13-6 Urea 280 | |
| 64-19-7 | 7 Acetic Acid 35 g | |
| PAC-3: | | |
| 12125-02-9 | Ammonium Chloride | 330 mg/m³ |
| 57-13-6 | Urea | 1,700 mg/m |
| 64-19-7 | 7 Acetic Acid 250 ppm | |

7 Handling and Storage

· Handling

- Precautions for safe handling:
- No special measures required.

Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

• Additional information about design of technical systems: No further data; see section 7.

• Control parameters:

Components with occupational exposure limits:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

12125-02-9 Ammonium Chloride

- REL Short-term value: 20 mg/m³ Long-term value: 10 mg/m³
- TLV Short-term value: 20 mg/m³ Long-term value: 10 mg/m³

• Additional information: The lists that were valid during the creation of this SDS were used as basis.

• Exposure controls:

- Personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/19/2019

Trade Name: 1700-0537

Immediately remove all soiled and contaminated clothing and wash before reuse.

- · Breathing equipment: Not required.
- · Protection of hands:
- Protective gloves recommended in manufacturing.



Protective gloves

- · Material of gloves: Not applicable.
- · Penetration time of glove material: Not applicable.
- Eye protection:



Goggles recommended during refilling.

· Limitation and supervision of exposure into the environment: None

9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:
- Form: Liquid Color: Clear · Odor: Odorless · Odor threshold: Not determined. Not determined. · pH-value: · Change in condition Melting point/Melting range: Not determined. Boiling point/Boiling range: ≥100 °C (≥212 °F) · Flash point: None · Flammability (solid, gaseous): Not applicable. · Ignition temperature: Not applicable
- · Decomposition temperature:
- · Auto igniting:
- · Danger of explosion:
- · Explosion limits: Lower: Upper:
- · Vapor pressure @ 20 °C (68 °F):
- Density:
Relative density:Not determined.Vapor density:
Evaporation rate:Not determined.
- Solubility in / Miscibility with: Water:

Not miscible or difficult to mix.

Not determined.

Not determined.

Not determined.

Product is not self-igniting.

≤23 hPa (≤17.3 mm Hg)

Product does not present an explosion hazard.

Reviewed on 11/19/2019

Page 4/8



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/19/2019

Trade Name: 1700-0537

Reviewed on 11/19/2019

| • Partition coefficient (n-octanol/water): Not determined. | | |
|--|-----------------|--|
| · Viscosity: | | |
| Dynamic: | Not determined. | |

| Not determined. |
|--|
| |
| 0.3 % |
| 0.25 % |
| No further relevant information available. |
| |

10 Stability and Reactivity

· *Reactivity:* No further relevant information available.

- Chemical stability: Product is stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

1 Toxicological Information

· Information on toxicological effects:

• Acute toxicity:

| · LD/LC50 values that are relevant for classification: | | |
|--|---------------|--------------------|
| 12125-02-9 Ammonium Chloride | | |
| Oral | LD50 | 1,650 mg/kg (Rat) |
| Inhalative | LC50/96 hours | 3.98 mg/l (Trout) |
| 7558-79-4 Sodium Phosphate, dibasic | | |
| Oral | LD50 | 17,000 mg/kg (Rat) |

• Primary irritant effect:

- · On the skin: May be irritating.
- On the eye: No irritating effect.

• Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations.

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories:

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

• NTP (National Toxicology Program):

None of the ingredients are listed.

• OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

2 Ecological Information

· Toxicity:

· Aquatic toxicity: No further relevant information available.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/19/2019

Trade Name: 1700-0537

- Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects: No further relevant information available.

3 Disposal Considerations

· Waste treatment methods

· Recommendation:

Smaller quantities can be disposed of with household waste.

Observe all federal, state and local environmental regulations when disposing of this material.

Uncleaned packaging

• Recommendation: Disposal must be made according to official regulations.

4 Transport Information

| · UN-Number: · DOT, ADR/ADN, IMDG, IATA · UN proper shipping name: · DOT, ADR/ADN, IMDG, IATA · Transport hazard class(es): | Non-Regulated Material Non-Regulated Material | |
|---|--|--|
| · DOT, ADR/ADN, ADN, IMDG, IATA · Class: · Packing group: | Non-Regulated Material | |
| · DOT, ADR/ADN, IMDG, IATA | Non-Regulated Material | |
| Environmental hazards: | Not applicable. | |
| Special precautions for user: | Not applicable. | |
| Transport in bulk according to Annex II of | | |
| MARPOL73/78 and the IBC Code: | Not applicable. | |
| · UN "Model Regulation": | Non-Regulated Material | |

15 Regulatory Information

- Safety, health and environmental regulations/legislation specific for the substance or mixture:
 SARA (Superfund Amendments and Reauthorization):
- Section 355 (extremely hazardous substances):
- None of the ingredients are listed.
- Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients are listed.

Reviewed on 11/19/2019



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/19/2019

Trade Name: 1700-0537

• Signal word: Non-Regulated Material • Hazard statements: Non-Regulated Material

· National regulations:

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

6 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of last revision/ revision number: 11/19/2019 / -

Reviewed on 11/19/2019



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/19/2019

Trade Name: 1700-0537

Reviewed on 11/19/2019

 Abbreviations and acronyms: ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation - Category 2B STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 ** Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106