

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/24/2019

Reviewed on 10/24/2019

1 Identification

- · Product Identifier
- Trade Name: Artificial Urine DIN EN 1616:1999
- · Product Number: 1700-0017, 1700-0558, 1700-0603
- *Relevant identified uses of the substance or mixture and uses advised against:* No further relevant information available.
- *Product Description:* Artificial urine prepared according to DIN EN 1616:1999 standard procedure
- Details of the Supplier of the Safety Data Sheet:
- Manufacturer/Supplier:
 Pickering Laboratories, Inc.
 1280 Space Park Way
 Mountain View, CA 94043
 Phone: (650) 694-6700
 Fax: (650) 968-0749
 www.pickeringlabs.com
 support@pickeringlabs.com
 Emergency telephone number:
 Clean Harbors Environmental Services
 1-800-645-8265

2 Hazard(s) Identification

· Classification of the substance or mixture:

The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.

· Label elements:

- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material
- · Classification system:
- NFPA ratings (scale 0 4)

Health = 0 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTHImage: OFIREImage: OFIREImage: OREACTIVITY Image: OPhysical Hazard = 0

· Hazard(s) not otherwise classified (HNOC): None

3 Composition/Information on Ingredients			
· Non-hazardous com	ponents:		
CAS: 7732-18-5	Water, distilled water, deionized water	90-99%	
CAS: 57-13-6 RTECS: YR 6250000	Urea	≤ 2.5%	
CAS: 19230-81-0	Creatinine hydrochloride	<0.5%	

· Chemical characterization: Mixtures

· Description: Mixture of substances listed below with non-hazardous additions.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/24/2019

Reviewed on 10/24/2019

Trade Name: Artificial Urine DIN EN 1616:1999

· Dangerous Components:		
CAS: 7647-14-5 RTECS: VZ4725000	Sodium Chloride	<1.0%
CAS: 7558-79-4 RTECS: WC 4500000	Sodium Phosphate, dibasic Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335-H336	<0.5%
CAS: 7778-77-0	Potassium Phosphate	<0.5%
CAS: 7757-83-7	Sodium sulfite	<0.5%
CAS: 12125-02-9 RTECS: BP 4550000	Ammonium Chloride Aquatic Chronic 2, H411; () Acute Tox. 4, H302; Acute Tox. 4, H332; Eye Irrit. 2A, H319	<0.5%

4 First-Aid Measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Not anticipated under normal use.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention.
- · After swallowing:

Rinse mouth with water ensuring that rinse is not swallowed. Drink 2 glasses of water to dilute and induce vomitting by touching finger to the back of the victims throat. Get medical assistance immediately.

- Information for doctor
- Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed:
- No further relevant information available.

5 Fire-Fighting Measures

- Extinguishing media
- Suitable extinguishing agents:
- CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: No further relevant information is available.
- Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters
- Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- Personal precautions, protective equipment and emergency procedures:
- Wear protective equipment. Keep unprotected persons away.
- Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Use neutralizing agent.

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Reference to other sections:

See Section 7 for information on safe handling.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/24/2019

Trade Name: Artificial Urine DIN EN 1616:1999

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

' Handling and Storage

Handling

Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace. Avoid contact with skin, eyes and clothing Avoid breathing fumes. Use personal protection equipment as outlined in section 8.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and receptacles: Store frozen
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- Components with occupational exposure limits:
- 57-13-6 Urea

WEEL Long-term value: 10 mg/m³

· Additional information: The lists that were valid during the creation of this SDS were used as basis.

- Exposure controls:
- · Personal protective equipment
- General protective and hygienic measures:

Use adequate exhaust ventilation to prevent inhalation of product vapors.

Do not eat or drink while handling product.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

· Breathing equipment:

Respiratory protection is not required unless handling of the material produces nuisance airborne concentrations.

Protection of hands:



Protective gloves

- Material of gloves: Latex or vinyl
- · Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

(Contd. on page 4)

Reviewed on 10/24/2019



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/24/2019

Reviewed on 10/24/2019

Trade Name: Artificial Urine DIN EN 1616:1999

· Eye protection:



Tightly sealed goggles

dy protection: Lab coat Dr

 Body protection: Lab coat 	
9 Physical and Chemical Prope	erties
 Information on basic physical and General Information Appearance: Form: Color: Odor: Odor threshold: 	<i>chemical properties</i> Liquid Colorless Odorless Not determined.
· pH-value:	6.6 ± 0.10 @25°C ± 0.4°C
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not determined. Not determined.
· Flash point:	None
· Flammability (solid, gaseous):	Not applicable.
 Decomposition temperature: 	Not determined.
· Auto igniting:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapor pressure:	Not determined.
 Density: Relative density: Vapor density: Evaporation rate: 	Not determined. Not determined. Not determined.
 Solubility in / Miscibility with: Water: 	Aqueous solution
· Partition coefficient (n-octanol/wat	er): Not determined.
 Viscosity: Dynamic: Kinematic: Other information: 	Not determined. Not determined. No further relevant information available.
10 Stability and Reactivity	
· Poactivity: No further relevant inform	ation available

· *Reactivity:* No further relevant information available.

1

· Chemical stability: Stable under normal conditions.

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• Possibility of hazardous reactions: No dangerous reactions known.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/24/2019

Trade Name: Artificial Urine DIN EN 1616:1999

- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: No data available.
- Primary irritant effect:
- On the skin: Mild irritant effect.
- · On the eye: Mild irritant effect.
- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations.

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories:
- IARC (International Agency for Research on Cancer): Substance is not listed.
- None of the ingredients are listed.

• NTP (National Toxicology Program):

None of the ingredients are listed.

• OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

12 Ecological Information

- Toxicity:
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects: No further relevant information available.

13 Disposal Considerations

- · Waste treatment methods
- Recommendation:

This product may be mixed with a combustible solvent and burned in a chemical incinerator equipped with an after burner and scruber. This product can also be sent to an EPA approved waste disposal facility. Observe all federal, state and local environmental regulations when disposing of this material.

Reviewed on 10/24/2019



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/24/2019

Trade Name: Artificial Urine DIN EN 1616:1999

- · Uncleaned packaging
- *Recommendation:* Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport Information

· UN-Number: · DOT, ADN, IMDG, IATA · ADR/ADN	Non-Regulated Material Non-Regulated Material Not Regulated	
 UN proper shipping name: DOT, ADR/ADN, ADN, IMDG, IATA Transport hazard class(es): 	Non-Regulated Material	
· DOT, ADR/ADN, ADN, IMDG, IATA · Class: · Packing group:	Non-Regulated Material	
· DOT, ADR/ADN, IMDG, IATA	Non-Regulated Material	
 Environmental hazards: 	Not applicable.	
 Special precautions for user: 	Not applicable.	
 Transport in bulk according to Annex II of 		
MARPOL73/78 and the IBC Code:	Not applicable.	
• UN "Model Regulation":	Non-Regulated Material	
15 Regulatory Information		

Safety, health and environmental regulations/legislation specific for the substance or mixture:
SARA (Superfund Amendments and Reauthorization):
Section 355 (extremely hazardous substances):
None of the ingredients are listed.
Section 313 (Specific toxic chemical listings):
None of the ingredients are listed.

• TSCA (Toxic Substances Control Act):

TSCA (TOXIC Substances Control Act).			
57-13-6	Urea		
7647-14-5	Sodium Chloride		
7558-79-4	Sodium Phosphate, dibasic		
7778-77-0 Potassium Phosphate			
12125-02-9	Ammonium Chloride		
7757-83-7	Sodium sulfite		
19230-81-0	Creatinine hydrochloride		
7732-18-5	Water, distilled water, deionized water		
· California Proposition 65:			
· Chemicals known to cause cancer:			
None of the ingredients are listed.			
· Chemicals known to cause reproductive toxicity for females:			
None of the ingredients are listed.			
· Chemicals known to cause reproductive toxicity for males:			
None of the	ingredients are listed.		

Reviewed on 10/24/2019

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/24/2019

Reviewed on 10/24/2019

Trade Name: Artificial Urine DIN EN 1616:1999

• Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· Carcinogenic categories:

· EPA (Environmental Protection Agency):

57-13-6 Urea

• TLV (Threshold Limit Value established by ACGIH):

None of the ingredients are listed.

• NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· GHS label elements Non-Regulated Material

· Hazard pictograms: Non-Regulated Material

- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material

· National regulations:

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

6 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

• Date of last revision/ revision number: 10/24/2019 / 3

• Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration. 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 • * Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106

Ш