

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 02/15/2021

Reviewed on 02/15/2021

1 Identification

- Product Identifier
- · Trade Name: Potassium Eluant for Biogenic Amines Analysis
- · Product Number: K563
- *Relevant identified uses of the substance or mixture and uses advised against:* No further relevant information available.
- · Product Description: Potassium Eluant for Biogenic Amines Analysis
- Details of the Supplier of the Safety Data Sheet:
- Manufacturer/Supplier:
 Pickering Laboratories, Inc.
 1280 Space Park Way
 Mountain View, CA 94043
 Phone: (650) 694-6700
 Fax: (650) 968-0749
 www.pickeringlabs.com
 support@pickeringlabs.com
 Emergency telephone number:
- Clean Harbors Environmental Services 1-800-645-8265

2 Hazard(s) Identification

· Classification of the substance or mixture:

The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.

· Label elements:

- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material
- · Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

- 0 % of the mixture consists of component(s) of unknown toxicity.
- · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

HEALTHImage: Constraint of the sector with the sector

· Hazard(s) not otherwise classified (HNOC): None

3 Composition/Information on Ingredients

· Chemical characterization: Substance

· Description: Mixture of substances listed below with non-hazardous additions.

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 02/15/2021

Reviewed on 02/15/2021

Trade Name: Potassium Eluant for Biogenic Amines Analysis

· Dangerous Components:		
CAS: 67-63-0	Isopropyl alcohol	
RTECS: NT 8050000	🚸 Flam. Liq. 2, H225; ᡧ Eye Irrit. 2A, H319; STOT SE 3, H336	
CAS: 64-19-7	Acetic Acid	<0.5%
RTECS: AF 1225000	♦ Flam. Liq. 3, H226; ♦ Skin Corr. 1A, H314; ♦ Acute Tox. 4, H312; Acute Tox. 4, H332	
	Specific concentration limits: Skin Corr. 1A; H314: $C \ge 90 \%$	
	Skin Corr. 1B; H314: 25 % ≤ C < 90 %	
	Skin Irrit. 2; H315: 10 % ≤ C < 25 %	
	Eye Irrit. 2; H319: 10 % ≤ C < 25 %	

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

Description of first aid measures

- General information: If symptoms persist, call a physician.
- · After inhalation: Not anticipated under normal use.
- After skin contact: If skin irritation occurs, consult a doctor.
- · After eye contact:
- If eye irritation occurs, consult a doctor.
- Rinse opened eye for several minutes under running water.
- After swallowing:

Rinse mouth with water ensuring that rinse is not swallowed. Drink 2 glasses of water to dilute and induce vomitting by touching finger to the back of the victims throat. Get medical assistance immediately.

- · Information for doctor
- Most important symptoms and effects, both acute and delayed: No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed:
- No further relevant information available.

5 Fire-Fighting Measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: No further relevant information.
- Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters
- · Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- Environmental precautions: Dilute with plenty of water.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust). Dispose of the collected material according to regulations.
- Reference to other sections:
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.



OSHA HazCom Standard 29 ČFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 02/15/2021

Reviewed on 02/15/2021

Trade Name: Potassium Eluant for Biogenic Amines Analysis

· Protective Action Criteria for Chemicals

· PAC-1:			
67-63-0	Isopropyl alcohol 400 ppr		
7758-11-4	Dipotassium Hydrogenorthophosphate		
64-19-7	Acetic Acid	5 ppm	
PAC-2:			
67-63-0	Isopropyl alcohol	2000* ppm	
7758-11-4	Dipotassium Hydrogenorthophosphate	140 mg/m ³	
64-19-7	Acetic Acid	35 ppm	
PAC-3:			
67-63-0	Isopropyl alcohol	12000** ppm	
7758-11-4	Dipotassium Hydrogenorthophosphate	830 mg/m ³	
64-19-7	Acetic Acid	250 ppm	

7 Handling and Storage

· Handling

- Precautions for safe handling:
- Avoid contact with skin, eyes and clothing
- Avoid breathing fumes.
- Use personal protection equipment as outlined in section 8.
- · Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

- · Storage
- Requirements to be met by storerooms and receptacles:
- Store in dry conditions at a temperature range of 8° C 25°C.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- Components with occupational exposure limits:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituents have no known exposure limits.

67-63-0 Isopropyl alcohol

- PEL Long-term value: 980 mg/m³, 400 ppm
- REL Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
- TLV Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 02/15/2021

Reviewed on 02/15/2021

Trade Name: Potassium Eluant for Biogenic Amines Analysis

	63-0 Isopropyl alcohol
BEI	40 mg/L urine end of shift at end of workweek Acetone (background, nonspecific)
Ada	ditional information: The lists that were valid during the creation of this SDS were used as basis.
Gen Use Dor The Was Bre a Res	Sonal protective equipment neral protective and hygienic measures: a adequate exhaust ventilation to prevent inhalation of product vapors. not eat or drink while handling product. a usual precautionary measures for handling chemicals should be followed. sh hands before breaks and at the end of work. Stathing equipment: spiratory protection is not required unless handling of the material produces nuisance airboo centrations.



Protective gloves

- *Material of gloves:* Latex or vinyl
- Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

• Eye protection:



Goggles recommended during refilling.

· Body protection: Lab coat

· Limitation and supervision of exposure into the environment: None

Liquid

Colorless

Odorless

 5.63 ± 0.1

None

Not determined.

9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- Appearance: Form: Color:
 Odor:
 Odor threshold:
 pH-value @ 25 °C (77 °F):
- Change in condition
 Melting point/Melting range: Not determined.
- · Flash point:
- *Flammability (solid, gaseous):* Not applicable.

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 02/15/2021

Reviewed on 02/15/2021

Trade Name: Potassium Eluant for Biogenic Amines Analysis

· Ignition temperature:	Not applicable	
 Decomposition temperature: 	Not determined.	
· Auto igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapor pressure:	Not determined.	
 Density @ 20 °C (68 °F): Relative density: Vapor density: Evaporation rate: 	1.0405 g/cm³ (8.683 lbs/gal) Not determined. Not determined. Not determined.	
 Solubility in / Miscibility with: Water: 	Aqueous solution	
· Partition coefficient (n-octanol/water): Not determined.		
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.	
 Solvent content: Organic solvents: VOC content: 	4.3 % 4.30 %	
· Other information:	No further relevant information available.	

10 Stability and Reactivity

· Reactivity: No further relevant information available.

- · Chemical stability: Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

- ---

1 Toxicological Information

· Information on toxicological effects:

Acute toxicity:

· LD/LC50 values that are relevant for classification:			
	67-63-0	Isopropyl al	cohol
Г	Oral		E 04E mg/kg (Dat)

Ulai	LDSU	5,045 mg/kg (nai)
Dermal	LD50	12,800 mg/kg (Rabbit)
Inhalative	LC50/4 h	30 mg/l (Rat)
	LC50/96 hours	9,640 mg/l (Pimephales)

Primary irritant effect:

· On the skin: Mild irritant effect.

· On the eye: Mild irritant effect.



OSHA HazCom Standard 29 ČFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 02/15/2021

Reviewed on 02/15/2021

Trade Name: Potassium Eluant for Biogenic Amines Analysis

· Additional toxicological information:

- · Carcinogenic categories:
- · IARC (International Agency for Research on Cancer):
- Group 1 Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

- Group 3 Not classifiable as to its carcinogenicity to humans
- Group 4 Probably not carcinogenic to humans

67-63-0 Isopropyl alcohol

• NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

2 Ecological Information

• Toxicity:

· Aquatic toxicity:

67-63-0 Isopropyl alcohol

EC50 6,851 mg/l (Green algae)

5,102 mg/l (Water flea)

· Persistence and degradability: No further relevant information available.

- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects: No further relevant information available.

13 Disposal Considerations

· Waste treatment methods

• Recommendation:

Do not allow product to reach sewage system.

This product may be mixed with a combustible solvent and burned in a chemical incinerator equipped with an after burner and scruber. This product can also be sent to an EPA approved waste disposal facility. Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packaging
- *Recommendation:* Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport Information

- · UN-Number:
- · DOT, ADR/ADN, ADN, IMDG, IATA

3



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 02/15/2021

Reviewed on 02/15/2021

Page 7/8

Trade Name: Potassium Eluant for Biogenic Amines Analysis

 UN proper shipping name: DOT, ADR/ADN, ADN, IMDG, IATA Transport hazard class(es): 	Non-Regulated Material
· DOT, ADR/ADN, ADN, IMDG, IATA · Class: · Packing group:	Non-Regulated Material
DOT, ADR/ADN, IMDG, IATA	Non-Regulated Material
Environmental hazards:	Not applicable.
 Special precautions for user: 	Not applicable.
 Transport in bulk according to Annex II 	of
MARPOL73/78 and the IBC Code:	Not applicable.
· UN "Model Regulation":	Non-Regulated Material

*15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture: No further relevant information available.
- · SARA (Superfund Amendments and Reauthorization):

	· Section 355 (extremely hazardous substances):		
None of	None of the ingredients are listed.		
· Section	· Section 313 (Specific toxic chemical listings):		
67-63-0	Isopropyl alcohol		
· TSCA (1	oxic Substances Control Act):		
All comp	onents have the value ACTIVE.		
· Hazardo	ous Air Pollutants		
	the ingredients are listed.		
	ia Proposition 65:		
	als known to cause cancer:		
None of	the ingredients are listed.		
	als known to cause reproductive toxicity for females:		
None of	the ingredients are listed.		
	als known to cause reproductive toxicity for males:		
None of	the ingredients are listed.		
· Chemica	· Chemicals known to cause developmental toxicity:		
None of	None of the ingredients are listed.		
· New Jer	sey Right-to-Know List:		
	Isopropyl alcohol		
64-19-7	Acetic Acid		
	sey Special Hazardous Substance List:		
	Isopropyl alcohol	F3	
64-19-7	Acetic Acid	CO, F2	
-	vania Right-to-Know List:		
	Isopropyl alcohol		
64-19-7	Acetic Acid		
· Pennsylvania Special Hazardous Substance List:			
67-63-0	Isopropyl alcohol	E	



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 02/15/2021

Reviewed on 02/15/2021

Trade Name: Potassium Eluant for Biogenic Amines Analysis

64-19-7 Acetic Acid E · Carcinogenic categories: • EPA (Environmental Protection Agency): None of the ingredients are listed.

• TLV (Threshold Limit Value established by ACGIH):

67-63-0 Isopropyl alcohol

- NIOSH-Ca (National Institute for Occupational Safety and Health):
- None of the ingredients are listed.
- · GHS label elements Non-Regulated Material
- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material

· National regulations:

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

6 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Contact:

Date of last revision/ revision number: 02/15/2021 / 6

Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit BEI: Biological Exposure Limit** Flam. Liq. 2: Flammable liquids - Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 * Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106 A4