

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/11/2021 Reviewed on 05/11/2021

1 Identification

- Product Identifier
- Trade Name: Artificial Perspiration, ANSI/BHMA A156.18
- **Product Number:** 1700-0504, 1700-0512
- Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

- · Product Description: Artificial perspiration according to ANSI/BHMA A156.18
- Details of the Supplier of the Safety Data Sheet:
- · Manufacturer/Supplier:

Pickering Laboratories, Inc.

1280 Space Park Way

Mountain View, CA 94043

Phone: (650) 694-6700

Fax: (650) 968-0749

www.pickeringlabs.com

support@pickeringlabs.com

· Emergency telephone number:

Clean Harbors Environmental Services

1-800-645-8265

2 Hazard(s) Identification

· Classification of the substance or mixture:



Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- Label elements:
- Hazard pictograms:



· Signal word: Danger

· Hazard-determining components of labeling:

butyric acid valeric acid

· Hazard statements:

H314 Causes severe skin burns and eye damage.

· Precautionary statements:

P260 Do not breathe dusts or mists.
P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/11/2021 Reviewed on 05/11/2021

Trade Name: Artificial Perspiration, ANSI/BHMA A156.18

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

· Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

NFPA ratings (scale 0 - 4)



Health = 2 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2

Fire = 0

Physical Hazard = 0

· Hazard(s) not otherwise classified (HNOC): None

3 Composition/Information on Ingredients

- Chemical characterization: Substance
- · Description: Mixture of substances listed below with non-hazardous additions.

| Dangerous Compon | ents: | |
|-------------------|---|-------|
| CAS: 64-19-7 | Acetic Acid | 2-12% |
| RTECS: AF 1225000 | ♦ Flam. Liq. 3, H226; ♦ Skin Corr. 1A, H314; ♦ Acute Tox. 4, H312; Acute Tox. 4, H332 | |
| | Specific concentration limits: Skin Corr. 1A; H314: C ≥ 90 % | |
| | Skin Corr. 1B, H314: 25 % ≤ C < 90 % | |
| | Skin Irrit. 2; H315: 10 % ≤ C < 25 % | |
| | Eye Irrit. 2; H319: 10 % ≤ C < 25 % | |
| CAS: 107-92-6 | butyric acid | 2-12% |
| RTECS: ES 5425000 | Acute Tox. 3, H311; Skin Corr. 1B, H314; Acute Tox. 4, H302; Flam. Liq. 4, H227 | |
| CAS: 109-52-4 | valeric acid | 2-12% |
| RTECS: YV 6100000 | ♦ Acute Tox. 2, H330; ♦ Skin Corr. 1B, H314; ♦ Acute Tox. 4, H302 | |

Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in the side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediate medical treatment is necessary. Failure to treat burns can prevent wounds from healing.

· After eye contact:

Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention.

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/11/2021 Reviewed on 05/11/2021

Trade Name: Artificial Perspiration, ANSI/BHMA A156.18

Have eyes examined and tested by medical personnel.

Get medical attention immediately.

If easy to do so, remove contact lenses if worn.

· After swallowing:

Rinse mouth with water ensuring that rinse is not swallowed. Drink 2 glasses of water to dilute and induce vomitting by touching finger to the back of the victims throat. Get medical assistance immediately.

- · Information for doctor
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-Fighting Measures

- Extinguishing media
- Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: No further relevant information.
- · Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters
- Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Dilute with plenty of water.

Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

| PAC-1: | | |
|----------|--------------|-----------|
| 64-19-7 | Acetic Acid | 5 ppm |
| 107-92-6 | butyric acid | 1.4 ppm |
| 109-52-4 | valeric acid | 2.2 mg/m³ |
| PAC-2: | | |
| 64-19-7 | Acetic Acid | 35 ppm |
| | butyric acid | 16 ppm |
| 109-52-4 | valeric acid | 24 mg/m³ |

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/11/2021 Reviewed on 05/11/2021

Trade Name: Artificial Perspiration, ANSI/BHMA A156.18

| PAC-3: | | |
|----------|--------------|-----------|
| 64-19-7 | Acetic Acid | 250 ppm |
| 107-92-6 | butyric acid | 110 ppm |
| 109-52-4 | valeric acid | 140 mg/m³ |

7 Handling and Storage

- Handling
- · Precautions for safe handling:

Avoid contact with skin, eyes and clothing

Avoid breathing fumes.

Use personal protection equipment as outlined in section 8.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: Store under refrigeration.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- Control parameters:
- · Components with occupational exposure limits:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

| 64-19- | 7 Acetic Acid |
|--------|---|
| PEL L | ∟ong-term value: 25 mg/m³, 10 ppm |
| | Short-term value: 37 mg/m³, 15 ppm _ong-term value: 25 mg/m³, 10 ppm |
| | Short-term value: 37 mg/m³, 15 ppm ∟ong-term value: 25 mg/m³, 10 ppm |

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- Exposure controls:
- Personal protective equipment
- General protective and hygienic measures:

Use adequate exhaust ventilation to prevent inhalation of product vapors.

Do not eat or drink while handling product.

Immediately remove all soiled and contaminated clothing.

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/11/2021 Reviewed on 05/11/2021

Trade Name: Artificial Perspiration, ANSI/BHMA A156.18

Breathing equipment:

Respiratory protection is not required unless handling of the material produces nuisance airborne concentrations.

Protection of hands:



Protective gloves

Material of gloves:

Latex or vinyl

Rubber

· Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· Eye protection:



Tightly sealed goggles

- · Body protection: Lab coat
- · Limitation and supervision of exposure into the environment: None

9 Physical and Chemical Properties

- Information on basic physical and chemical properties
- General Information
- Appearance:

Form:
Color:
Color:
Coloress
Slight

Odor threshold: Not determined.pH-value: Not applicable.

Change in condition

Melting point/Melting range: Not determined.

· Flash point: None

Flammability (solid, gaseous): Not applicable.
 Ignition temperature: Not applicable
 Decomposition temperature: Not determined.

· **Auto igniting:** Product is not self-igniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower:
Upper:
Not determined.
Vapor pressure:
Not determined.

Not determined.

Not determined.

Not determined.

Not determined.

Vapor density:
Not determined.

Not determined.

Not determined.

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/11/2021 Reviewed on 05/11/2021

Trade Name: Artificial Perspiration, ANSI/BHMA A156.18

Evaporation rate: Not determined.

· Solubility in / Miscibility with:

Water: Aqueous solution

• Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Solvent content:

Organic solvents: 5.0 % VOC content: 5.00 %

312.5 g/l / 2.61 lb/gal

· Other information: No further relevant information available.

10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- Information on toxicological effects:
- · Acute toxicity:

| · LD/LC50 values that are relevant for classification: | | |
|--|---------------|----------------------|
| 64-19-7 A | cetic Acid | |
| Oral | LD50 | 3,310 mg/kg (Rat) |
| Dermal | LD50 | 1,112 mg/kg (Rabbit) |
| Inhalative | LC50/4 h | 11.4 mg/l (Rat) |
| | LC50/96 hours | >1,000 mg/l (Trout) |
| 107-92-6 I | outyric acid | |
| Oral | LD50 | 2,000 mg/kg (Rat) |
| Dermal | LD50 | 530 mg/kg (Rabbit) |
| 109-52-4 valeric acid | | |
| Oral | LD50 | 600 mg/kg (Mouse) |
| Inhalative | LC50/4 h | 0.6 mg/l (Mouse) |
| Dulman Indiana Africa | | |

- Primary irritant effect:
- · On the skin: Strong caustic effect on skin and mucous membranes.
- On the eye:

Strong irritant with the danger of severe eye injury.

Corrosive effect.

Causes serious eye irritation.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/11/2021 Reviewed on 05/11/2021

Trade Name: Artificial Perspiration, ANSI/BHMA A156.18

Corrosive

Irritant

Swallowing will lead to a corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories:
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

12 Ecological Information

- Toxicity:
- Aquatic toxicity:

64-19-7 Acetic Acid

EC50 >300.82 mg/l (Water flea)

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · **Mobility in soil:** No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment:
- PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

13 Disposal Considerations

- · Waste treatment methods
- · Recommendation:

This product may be mixed with a combustible solvent and burned in a chemical incinerator equipped with an after burner and scruber. This product can also be sent to an EPA approved waste disposal facility. Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packaging
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport Information

· UN-Number:

DOT, ADR/ADN, ADN, IMDG, IATA

Non-Regulated Material

UN proper shipping name:

DOT, ADR/ADN, ADN, IMDG, IATA

Non-Regulated Material

(Contd. on page 8)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/11/2021 Reviewed on 05/11/2021

Trade Name: Artificial Perspiration, ANSI/BHMA A156.18

Transport hazard class(es):

DOT, ADR/ADN, ADN, IMDG, IATA

· Class: Non-Regulated Material

Packing group:

· DOT, ADR/ADN, IMDG, IATA Non-Regulated Material

• Environmental hazards: Not applicable. • Special precautions for user: Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

UN "Model Regulation": Non-Regulated Material

15 Regulatory Information

· Safety, health and environmental regulations/legislation specific for the substance or mixture:

No further relevant information available

| No further relevant information available. • SARA (Superfund Amendments and Reauthorization): |
|--|
| · Section 355 (extremely hazardous substances): |
| None of the ingredients are listed. |
| · Section 313 (Specific toxic chemical listings): |
| None of the ingredients are listed. |
| TSCA (Toxic Substances Control Act): |
| All components have the value ACTIVE. |
| · Hazardous Air Pollutants |
| None of the ingredients are listed. |
| California Proposition 65: |
| · Chemicals known to cause cancer: |
| None of the ingredients are listed. |
| · Chemicals known to cause reproductive toxicity for females: |
| None of the ingredients are listed. |
| |

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

| • | New | <i>Jersey</i> | Right | -to-Know | List: |
|---|-----|---------------|-------|----------|-------|
| | | | | | |

64-19-7 Acetic Acid 107-92-6 butyric acid 109-52-4 valeric acid

| New Jersey Special | Hazardous | Substance | List: |
|--------------------|-----------|-----------|-------|
|--------------------|-----------|-----------|-------|

| 64-19-7 | Acetic Acid | CO, F2 |
|----------|--------------|--------|
| 107-92-6 | butyric acid | CO, F2 |
| 109-52-4 | valeric acid | CO |

Pennsylvania Right-to-Know List:

| i Gillisyiv | r emisyivama riigin-to-riilow List. | |
|-------------|-------------------------------------|--|
| 64-19-7 | Acetic Acid | |
| 107-92-6 | butyric acid | |
| 109-52-4 | valeric acid | |

(Contd. on page 9)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/11/2021 Reviewed on 05/11/2021

Trade Name: Artificial Perspiration, ANSI/BHMA A156.18

| Pennsylv | · Pennsylvania Special Hazardous Substance List: | |
|----------|--|---|
| 64-19-7 | Acetic Acid | E |
| 107-92-6 | butyric acid | E |

Carcinogenic categories:

| Car | remogenic categories. |
|-------|---|
| · EP | A (Environmental Protection Agency): |
| Nor | ne of the ingredients are listed. |
| · TL\ | V (Threshold Limit Value established by ACGIH): |
| Nor | ne of the ingredients are listed. |
| · NIC | OSH-Ca (National Institute for Occupational Safety and Health): |
| Nor | ne of the ingredients are listed. |

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:



- Signal word: Danger
- · Hazard-determining components of labeling:

butyric acid valeric acid

Hazard statements:

H314 Causes severe skin burns and eye damage.

· Precautionary statements:

P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

National regulations:

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/11/2021 Reviewed on 05/11/2021

Trade Name: Artificial Perspiration, ANSI/BHMA A156.18

Contact:

· Date of last revision/ revision number: 05/11/2021 / 3

Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 3: Flammable liquids – Category 3 Flam. Liq. 4: Flammable liquids – Category 4

Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106