

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/27/2017 Reviewed on 02/27/2017

### 1 Identification

· Product Identifier

· Trade name: Artificial Perspiration, GMW 14334, Basic, Part 2

· Product Number: 1700-0534

• CAS Number: 10361-29-2 • EC number:

233-786-0

· Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

· Product Description

Artificial Perspiration according to GMW 14334 for testing automotive trim materials and components

Details of the Supplier of the Safety Data Sheet:

Manufacturer/Supplier:

Pickering Laboratories, Inc. 1280 Space Park Way Mountain View, CA 94043 Phone: (650) 694-6700 Fax: (650) 968-0749

Phone: (650) 694-6700
Fax: (650) 968-0749
www.pickeringlabs.com
support@pickeringlabs.com

Emergency telephone number:

Clean Harbors Environmental Services

1-800-645-8265

### 2 Hazard(s) Identification

· Classification of the substance or mixture:



GHS07

Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements:
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



GHS07

· Signal word: Warning

· Hazard-determining components of labeling:

ammonium carbonate

· Hazard statements:

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/27/2017 Reviewed on 02/27/2017

#### Trade name: Artificial Perspiration, GMW 14334, Basic, Part 2

· Precautionary statements:

Wear protective gloves / eye protection / face protection. P280

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

P330 Rinse mouth.

IF ON SKIN: Wash with plenty of water. P302+P352

Take off contaminated clothing and wash it before reuse. P362+P364

Dispose of contents/container in accordance with local/regional/national/international P501

regulations.

· Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

· Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



2 Health = 2 Fire = 0REACTIVITY 0 Reactivity = 0

· Hazard(s) not otherwise classified (HNOC): None

#### 3 Composition/Information on Ingredients

- · Chemical characterization: Substance
- · CAS No. Description

10361-29-2 ammonium carbonate

- · Identification number(s)
- · EC number: 233-786-0

#### 4 First-Aid Measures

- · Description of first aid measures:
- · General information:

Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.

- · After inhalation: Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eve contact:

Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention.

· After swallowing:

Rinse mouth with water ensuring that rinse is not swallowed. Drink 2 glasses of water to dilute and induce vomitting by touching finger to the back of the victims throat. Get medical assistance immediately.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/27/2017 Reviewed on 02/27/2017

Trade name: Artificial Perspiration, GMW 14334, Basic, Part 2

· Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

### 5 Fire-Fighting Measures

- · Extinguishing media:
- Suitable extinguishing agents:

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters:
- Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

#### 6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Avoid formation of dust.

Avoid breathing dust.

- · Environmental precautions: Do not allow to enter sewers/surface or ground water.
- · Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Use the appropriate tools to collect the material and dispose of it in an approved waste disposal container.

Dispose contaminated material as waste according to section 13.

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

PAC-3:

Substance is not listed.

## 7 Handling and Storage

- · Handling
- · Precautions for safe handling:

Avoid contact with skin, eyes and clothing

Avoid breathing dust.

Use personal protection equipment as outlined in section 8.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities:
- · Storage
- · Requirements to be met by storerooms and receptacles: Store under refrigeration
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Shelf Life = 1 Year
- · Specific end use(s): No further relevant information available.

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/27/2017 Reviewed on 02/27/2017

Trade name: Artificial Perspiration, GMW 14334, Basic, Part 2

### 8 Exposure Controls/Personal Protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- · Components with occupational exposure limits:
- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- Exposure controls:
- Personal protective equipment:
- General protective and hygienic measures:

Use adequate exhaust ventilation to prevent inhalation of product vapors.

Do not eat or drink while handling product.

Immediately remove all soiled and contaminated clothing.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· Breathing equipment:

Respiratory protection is not required unless handling of the material produces nuisance airborne concentrations.

· Protection of hands:



Protective gloves

- · Material of gloves: Rubber, latex or vinyl.
- Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· Eye protection:



Tightly sealed goggles

· Body protection: Lab coat

## 9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Solid White Odorless

Odor threshold: Not determined.pH-value: Not applicable.

· Change in condition

Melting point/Melting range: 58 °C (136 °F) Boiling point/Boiling range: Not determined.

· Flash point: None

• Flammability (solid, gaseous): Product is not flammable.

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/27/2017 Reviewed on 02/27/2017

Trade name: Artificial Perspiration, GMW 14334, Basic, Part 2

Ignition temperature: Not determined.
 Decomposition temperature: Not determined.
 Auto igniting: Not determined.

· **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined. Not determined.

Vapor pressure: Not applicable.

• **Density** @ **20** °**C** (**68** °**F**): 0.9 g/cm³ (7.511 lbs/gal)

Relative density: Not determined.
 Vapor density: Not applicable.
 Evaporation rate: Not applicable.

· Solubility in / Miscibility with:

**Water @ 20 °C (68 °F):** 1 g/l

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not applicable. **Kinematic:** Not applicable.

Organic solvents: 0.0 %

• Other information: No further relevant information available.

## 10 Stability and Reactivity

- · *Reactivity:* No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:
- · Primary irritant effect:
- · On the skin: Mild irritant effect.
- · On the eye: Irritating effect.
- Additional toxicological information:
- · Carcinogenic categories:
- IARC (International Agency for Research on Cancer):

Substance is not listed.

NTP (National Toxicology Program):

Substance is not listed.

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/27/2017 Reviewed on 02/27/2017

Trade name: Artificial Perspiration, GMW 14334, Basic, Part 2

· OSHA-Ca (Occupational Safety & Health Administration):

Substance is not listed.

## 12 Ecological Information

- · Toxicity:
- Aquatic toxicity: Toxic to aquatic life
- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

The product contains materials that are harmful to the environment.

- · Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects: No further relevant information available.

### 13 Disposal Considerations

- · Waste treatment methods:
- · Recommendation:

This product may be mixed with a combustible solvent and burned in a chemical incinerator equipped with an after burner and scruber. This product can also be sent to an EPA approved waste disposal facility. Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

### 14 Transport Information

· UN-Number:

· DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material

· UN proper shipping name:

· DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material

· Transport hazard class(es):

· DOT, ADR/ADN, ADN, IMDG, IATA

· Class: Non-Regulated Material

· Packing group:

· DOT, ADR/ADN, IMDG, IATA Non-Regulated Material

Environmental hazards: Not applicable.Special precautions for user: Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

· **UN "Model Regulation":** Non-Regulated Material

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/27/2017 Reviewed on 02/27/2017

Trade name: Artificial Perspiration, GMW 14334, Basic, Part 2

### 15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture:
- SARA (Superfund Amendments and Reauthorization):
- · Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

- · California Proposition 65:
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

New Jersey Right-to-Know List:

Substance is not listed.

· New Jersey Special Hazardous Substance List:

Substance is not listed.

· Pennsylvania Right-to-Know List:

Substance is listed.

· Pennsylvania Special Hazardous Substance List:

Ε

- · Carcinogenic categories:
- · EPA (Environmental Protection Agency):

Substance is not listed.

TLV (Threshold Limit Value established by ACGIH):

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

Substance is not listed.

GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/27/2017 Reviewed on 02/27/2017

#### Trade name: Artificial Perspiration, GMW 14334, Basic, Part 2

· Signal word: Warning

Hazard-determining components of labeling:

ammonium carbonate

· Hazard statements:

H302 Harmful if swallowed. H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements:

P280 Wear protective gloves / eye protection / face protection.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

### · National regulations:

Non-Regulated Material

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- · Date of preparation / last revision: 02/27/2017 / 1
- · Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

\*Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106