

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/08/2021 Reviewed on 06/08/2021

1 Identification

- · Product Identifier
- Trade Name: Artificial Perspiration DIN-EN/IEC 60068-2-70, stabilized/non-stabilized
- · Product Number: 1700-0542, 1700-0543
- Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

- · Product Description: Artificial Perspiration DIN-EN/IEC 60068-2-70, stabilized/non-stabilized
- · Details of the Supplier of the Safety Data Sheet:
- · Manufacturer/Supplier:

Pickering Laboratories, Inc.

1280 Space Park Way

Mountain View, CA 94043

Phone: (650) 694-6700

Fax: (650) 968-0749

www.pickeringlabs.com

support@pickeringlabs.com

Emergency telephone number:

Clean Harbors Environmental Services

1-800-645-8265

2 Hazard(s) Identification

· Classification of the substance or mixture:

The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.

- · Label elements:
- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material
- · Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

- · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- NFPA ratings (scale 0 4)



Health = 0 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0 Fire = 0

Physical Hazard = 0

· Hazard(s) not otherwise classified (HNOC): None

3 Composition/Information on Ingredients

- · Chemical characterization: Substance
- · Description: Mixture of substances listed below with non-hazardous additions.

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/08/2021 Reviewed on 06/08/2021

Trade Name: Artificial Perspiration DIN-EN/IEC 60068-2-70, stabilized/non-stabilized

· Dangerous Components:			
CAS: 50-21-5	Lactic Acid	≤1.0%	
RTECS: OD 2800000	♦ Acute Tox. 3, H331; ♦ Eye Dam. 1, H318; ♦ Skin Irrit. 2, H315		
CAS: 26172-55-4	Methyl Chloro Isothiazolinone	≤0.1%	
	 Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Skin Sens. 1A, H317 		
	Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 %		
	Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %		
	Eye Dam. 1; H318: C ≥ 0.6 %		
	Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 %		
	Skin Sens. 1A; H317: C ≥ 0.0015 %		
CAS: 12125-02-9	Ammonium Chloride	≤0.1%	
RTECS: BP 4550000	◆ Acute Tox. 4, H302; Acute Tox. 4, H332; Eye Irrit. 2A, H319		

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

- · Description of first aid measures
- General information: No special measures required.
- · After inhalation: Not anticipated under normal use.
- · After skin contact:

Generally, the product does not irritate the skin.

If skin irritation occurs, consult a doctor.

· After eve contact:

If eye irritation occurs, consult a doctor.

Rinse opened eye for several minutes under running water.

- · After swallowing: Rinse out mouth and then drink plenty of water.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-Fighting Measures

- · Extinguishing media
- Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: No further relevant information is available.
- · Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters
- · Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away. Not required.

· Environmental precautions: Dilute with plenty of water.

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/08/2021 Reviewed on 06/08/2021

Trade Name: Artificial Perspiration DIN-EN/IEC 60068-2-70, stabilized/non-stabilized

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the collected material according to regulations.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:		
12125-02-9	Ammonium Chloride	20 mg/m³
26172-55-4	Methyl Chloro Isothiazolinone	0.6 mg/m³
57-13-6	Urea	30 mg/m³
PAC-2:		
12125-02-9	Ammonium Chloride	54 mg/m³
26172-55-4	Methyl Chloro Isothiazolinone	6.6 mg/m ³
57-13-6	Urea	280 mg/m³
· PAC-3:		
12125-02-9	Ammonium Chloride	330 mg/m³
26172-55-4	Methyl Chloro Isothiazolinone	40 mg/m³
57-13-6	Urea	1,700 mg/m³

7 Handling and Storage

- · Handling
- · Precautions for safe handling:

Avoid contact with skin, eyes and clothing

Avoid breathing fumes.

Use personal protection equipment as outlined in section 8.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: Store frozen
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · **Specific end use(s):** No further relevant information available.

8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- Components with occupational exposure limits:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- Personal protective equipment
- General protective and hygienic measures:

Use adequate exhaust ventilation to prevent inhalation of product vapors.

Do not eat or drink while handling product.

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/08/2021 Reviewed on 06/08/2021

Trade Name: Artificial Perspiration DIN-EN/IEC 60068-2-70, stabilized/non-stabilized

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

· Breathing equipment:

Respiratory protection is not required unless handling of the material produces nuisance airborne concentrations.

Protection of hands:



Protective gloves

- · Material of gloves: Latex or vinyl
- Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· Eye protection:



Goggles recommended during refilling.

- · Body protection: Lab coat
- · Limitation and supervision of exposure into the environment: None

9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid Clear Odorless

Odor threshold: Not determined.pH-value: Not applicable.

· Change in condition

Melting point/Melting range: Not determined.

· Flash point: None

Flammability (solid, gaseous): Not applicable.
 Ignition temperature: Not applicable
 Decomposition temperature: Not determined.

· **Auto igniting:** Product is not self-igniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower:
Upper:
Not determined.
Vapor pressure:
Not determined.

Not determined.

Not determined.

Not determined.

Not determined.

Vapor density:
Not determined.

Not determined.

Not determined.

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/08/2021 Reviewed on 06/08/2021

Trade Name: Artificial Perspiration DIN-EN/IEC 60068-2-70, stabilized/non-stabilized

• **Evaporation rate:** Not determined.

· Solubility in / Miscibility with:

Water: Aqueous solution

• Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Solvent content:

VOC content: 0.03 %

33.3 g/l / 0.28 lb/gal

• Other information: No further relevant information available.

10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- Information on toxicological effects:
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: No data available.
- · Primary irritant effect:
- · On the skin: No irritating effect.
- On the eye: No irritating effect.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations.

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories:

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

12 Ecological Information

· Toxicity:

· Aquatic toxicity:

26172-55-4 Methyl Chloro Isothiazolinone

EC50 0.11-0.16 mg/l (Green algae)

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/08/2021 Reviewed on 06/08/2021

Trade Name: Artificial Perspiration DIN-EN/IEC 60068-2-70, stabilized/non-stabilized

4.71 mg/l (Daphnia)

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water.
- · Results of PBT and vPvB assessment:
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

13 Disposal Considerations

- · Waste treatment methods
- Recommendation:

This product may be mixed with a combustible solvent and burned in a chemical incinerator equipped with an after burner and scruber. This product can also be sent to an EPA approved waste disposal facility. Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packaging
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport Information

· UN-Number:

· DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material

· UN proper shipping name:

· DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material

· Transport hazard class(es):

· DOT, ADR/ADN, ADN, IMDG, IATA

· Class: Non-Regulated Material

· Packing group:

· DOT, ADR/ADN, IMDG, IATA Non-Regulated Material

• Environmental hazards: Not applicable. Special precautions for user: Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

· UN "Model Regulation": Non-Regulated Material

15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture: No further relevant information available.
- · SARA (Superfund Amendments and Reauthorization):
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

7732-18-5 Water, distilled water, deionized water ACTIVE

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/08/2021 Reviewed on 06/08/2021

Trade Name: Artificial Perspiration DIN-EN/IEC 60068-2-70, stabilized/non-stabilized

7647-14-5	Sodium Chloride	ACTIVE
50-21-5	Lactic Acid	ACTIVE
12125-02-9	Ammonium Chloride	ACTIVE
7447-40-7	Potassium Chloride	ACTIVE
26172-55-4	Methyl Chloro Isothiazolinone	ACTIVE
57-13-6	Urea	ACTIVE
· Hazardous	Air Pollutants	
None of the	ingredients are listed.	
· California F	Proposition 65:	
· Chemicals	known to cause cancer:	
None of the	ingredients are listed.	
Chemicals	known to cause reproductive toxicity for females:	
None of the	ingredients are listed.	
· Chemicals	known to cause reproductive toxicity for males:	
None of the	ingredients are listed.	
· Chemicals	known to cause developmental toxicity:	
None of the	ingredients are listed.	
· New Jersey	Right-to-Know List:	
12125-02-9	Ammonium Chloride	
· New Jersey	Special Hazardous Substance List:	
	ingredients are listed.	
· Pennsylvar	nia Right-to-Know List:	
•	Ammonium Chloride	
· Pennsvlvar	nia Special Hazardous Substance List:	
_	Ammonium Chloride	
. Carcinogor	nic categories:	
_	onmental Protection Agency):	
57-13-6 Ure		
•	hold Limit Value established by ACGIH): ingredients are listed.	
	(National Institute for Occupational Safety and Health):	
	ingredients are listed.	
	elements Non-Regulated Material fograms: Non-Regulated Material	
	de Non-Degulated Material	

- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material
- · National regulations:

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/08/2021 Reviewed on 06/08/2021

Trade Name: Artificial Perspiration DIN-EN/IEC 60068-2-70, stabilized/non-stabilized

· Contact:

· Date of last revision/ revision number: 06/08/2021 / 14

· Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, ÉU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 2: Acute toxicity – Category 2
Acute Tox. 3: Acute toxicity – Category 3
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1A: Skin sensitisation - Category 1A

* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106