

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/08/2021

Reviewed on 06/08/2021

1 Identification

- · Product Identifier
- Trade Name: Artificial Apocrine Perspiration
- Product Number: 1700-0556
- *Relevant identified uses of the substance or mixture and uses advised against:* No further relevant information available.
- · Product Description: Artificial Apocrine Perspiration
- Details of the Supplier of the Safety Data Sheet:
- Manufacturer/Supplier: Pickering Laboratories, Inc. 1280 Space Park Way Mountain View, CA 94043 Phone: (650) 694-6700 Fax: (650) 968-0749 www.pickeringlabs.com support@pickeringlabs.com
 Emergency telephone number: Clean Harbors Environmental Services 1-800-645-8265

2 Hazard(s) Identification

· Classification of the substance or mixture:

The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.

· Label elements:

- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material
- · Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

- 4 % of the mixture consists of component(s) of unknown toxicity.
- · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

HEALTHImage: Constraint of the second se

· Hazard(s) not otherwise classified (HNOC): None

3 Composition/Information on Ingredients

· Chemical characterization: Substance

· Description: Mixture of substances listed below with non-hazardous additions.

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/08/2021

Reviewed on 06/08/2021

Trade Name: Artificial Apocrine Perspiration

| · Dangerous Compon | ents: | |
|-------------------------------------|---|-------|
| CAS: 57-11-4 RTECS: WI 2800000 | Stearic Acid, pure ♦ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320 | <1.0% |
| CAS: 57-13-6 RTECS: YR 6250000 | Urea | <0.5% |
| CAS: 102-71-6 | Triethanolamine ♦ Skin Irrit. 2, H315; Eye Irrit. 2B, H320 | <1.0% |
| CAS: 112-80-1 RTECS: RG 2275000 | oleic acid, pure 🚸 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 | <1.0% |
| CAS: 8001-31-8 RTECS: GG6040000 | Fractionated Coconut Oil (Caprylic/Capric Triglycerides) | <1.0% |
| CAS: 8002-74-2 RTECS: RV 0350000 | Paraffin Waxes | <1.0% |
| CAS: 10326-41-7 | lactic acid � Skin Irrit. 2, H315; Eye Irrit. 2B, H320 | <0.5% |

• Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets. Contains trace amounts of a variety of amino acids and minerals.

4 First-Aid Measures

· Description of first aid measures

- General information: If symptoms persist, call a physician.
- · After inhalation:
- Not anticipated under normal use.

In case of unconsciousness place patient stably in the side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Generally, the product does not irritate the skin. If skin irritation occurs, consult a doctor.

• After eve contact:

If eye irritation occurs, consult a doctor.

Rinse opened eye for several minutes under running water.

· After swallowing:

Rinse mouth with water ensuring that rinse is not swallowed. Drink 2 glasses of water to dilute and induce vomitting by touching finger to the back of the victims throat. Get medical assistance immediately.

- Information for doctor
- Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-Fighting Measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: No further relevant information.
- · Special hazards arising from the substance or mixture: No further relevant information available.

(Contd. on page 3)



OSHA HazCom Standard 29 ČFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/08/2021

Reviewed on 06/08/2021

Trade Name: Artificial Apocrine Perspiration

· Advice for firefighters

• **Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- Personal precautions, protective equipment and emergency procedures:
- Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Dilute with plenty of water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- Dispose of the collected material according to regulations.
- Reference to other sections:

See Section 7 for information on safe handling.

- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:

| FAC-I. | | |
|--|---|--------------------------|
| 57-10-3 | 3 Palmitic acid 0.19 m | |
| 57-11-4 | Stearic Acid, pure | 14 mg/m ³ |
| 57-13-6 | 57-13-6 Urea | |
| 102-71-6 Triethanolamine | | 15 mg/m³ |
| 111-02-4 2,6,10,15,19,23-hexamethyltetracosa-2,6,10,14,18,22-hexaene | | 8.2 mg/m ³ |
| 112-80-1 | 112-80-1 oleic acid, pure | |
| · PAC-2: | | |
| 57-10-3 | Palmitic acid | 2.1 mg/m ³ |
| 57-11-4 | Stearic Acid, pure | 150 mg/m³ |
| 57-13-6 | Urea | 280 mg/m ³ |
| 102-71-6 | Triethanolamine | 240 mg/m ³ |
| 111-02-4 | 2,6,10,15,19,23-hexamethyltetracosa-2,6,10,14,18,22-hexaene | 90 mg/m³ |
| 112-80-1 | oleic acid, pure | 2,400 mg/m ³ |
| · PAC-3: | | |
| 57-10-3 | Palmitic acid | 12 mg/m³ |
| 57-11-4 | Stearic Acid, pure | 910 mg/m ³ |
| 57-13-6 | Urea | 1,700 mg/m ³ |
| 102-71-6 | Triethanolamine | 1,500 mg/m ³ |
| 111-02-4 | 2,6,10,15,19,23-hexamethyltetracosa-2,6,10,14,18,22-hexaene | 540 mg/m ³ |
| 112-80-1 | oleic acid, pure | 15,000 mg/m ³ |

7 Handling and Storage

· Handling

· Precautions for safe handling:

Avoid contact with skin, eyes and clothing

Avoid breathing fumes.

Use personal protection equipment as outlined in section 8.

Ensure good ventilation/exhaustion at the workplace.



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/08/2021

Reviewed on 06/08/2021

Trade Name: Artificial Apocrine Perspiration

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Store refrigerated
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- Components with occupational exposure limits:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

57-13-6 Urea

WEEL Long-term value: 10 mg/m³

102-71-6 Triethanolamine

TLV Long-term value: 5 mg/m³

8001-31-8 Fractionated Coconut Oil (Caprylic/Capric Triglycerides)

TWA Long-term value: 6

8002-74-2 Paraffin Waxes

REL Long-term value: 2 mg/m³

TLV Long-term value: 2 mg/m³

• Additional information: The lists that were valid during the creation of this SDS were used as basis.

• Exposure controls:

· Personal protective equipment

• General protective and hygienic measures:

Use adequate exhaust ventilation to prevent inhalation of product vapors.

Do not eat or drink while handling product.

Immediately remove all soiled and contaminated clothing.

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Breathing equipment:

Respiratory protection is not required unless handling of the material produces nuisance airborne concentrations.

Protection of hands:



Protective gloves

· *Material of gloves:* Latex or vinyl

Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/08/2021

Reviewed on 06/08/2021

Trade Name: Artificial Apocrine Perspiration

• Eye protection:



Goggles recommended during refilling.

- · Body protection: Lab coat
- · Limitation and supervision of exposure into the environment: None

9 Physical and Chemical Properties

| Information on basic physical and ch General Information | emical properties | |
|--|--|----|
| Appearance: Form: Color: Odor: Odor threshold: | Liquid Milky-White Characteristic Not determined. | |
| · pH-value: | Not applicable. | |
| Change in condition Melting point/Melting range: | Not determined. | |
| · Flash point: | None | |
| · Flammability (solid, gaseous): | Not applicable. | |
| · Ignition temperature: | Not applicable | |
| Decomposition temperature: | Not determined. | |
| · Auto igniting: | Product is not self-igniting. | |
| · Danger of explosion: | Product does not present an explosion hazard. | |
| · Explosion limits: Lower: Upper: | Not determined. Not determined. | |
| · Vapor pressure: | Not determined. | |
| Density: Relative density: Vapor density: Evaporation rate: | Not determined. Not determined. Not determined. Not determined. | |
| Solubility in / Miscibility with: Water: | Aqueous solution | |
| · Partition coefficient (n-octanol/water) | : Not determined. | |
| · Viscosity: Dynamic: Kinematic: | Not determined. Not determined. | |
| Solvent content: Organic solvents: VOC content: | 1.0 % 1.00 % | |
| · Other information: | No further relevant information available. | (C |



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/08/2021

Reviewed on 06/08/2021

Trade Name: Artificial Apocrine Perspiration

10 Stability and Reactivity

- · *Reactivity:* No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials:
- Urea reacts with calcium hypochlorite or sodium hypochlorite to form the explosive nitrogen trichloride.
- · Hazardous decomposition products: No dangerous decomposition products known.

1 Toxicological Information

- · Information on toxicological effects:
- Acute toxicity:

 LD/LC50 values that are relevant for classification: 57-11-4 Stearic Acid, pure >5,000 mg/kg (Rabbit) Dermal LD50 57-13-6 Urea Oral LD50 8,471 mg/kg (Rat) 102-71-6 Triethanolamine LD50 5,530 mg/kg (Rat) Oral 2,200 mg/kg (Rabbit) LD50 Oral 2,200 ml/kg (Guinea Pig) 5,846 ml/kg (Mouse) LD50 >22,500 mg/kg (Rabbit) Dermal 112-80-1 oleic acid, pure LD50 74,000 mg/kg (Rat) Oral 8001-31-8 Fractionated Coconut Oil (Caprylic/Capric Triglycerides) Oral LD50 >5,000 mg/kg (Rat) 8002-74-2 Paraffin Waxes Oral LD50 >5,000 mg/kg (Rat) Dermal LD50 >2,000 mg/kg (Rabbit) Inhalative LC50/96 hours >100 mg/l (Trout)

• Primary irritant effect:

On the skin: Irritant to skin and mucous membranes.

• On the eye: No irritating effect.

Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations.

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories:

· IARC (International Agency for Research on Cancer):

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/08/2021

Reviewed on 06/08/2021

57-88-5 Cholesterol

- 102-71-6 Triethanolamine
- · NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

2 Ecological Information

- · Toxicity:
- · Aquatic toxicity:
- 57-13-6 Urea

EC50 >10,000 mg/l (Daphnia)

102-71-6 Triethanolamine

EC50 609.98 mg/l (Daphnia)

8002-74-2 Paraffin Waxes

EC50 >10,000 mg/l (Daphnia)

- · Persistence and degradability: No further relevant information available.
- Behavior in environmental systems:
- · *Bioaccumulative potential:* No further relevant information available.
- · *Mobility in soil:* No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment:
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

13 Disposal Considerations

· Waste treatment methods

· Recommendation:

This product may be mixed with a combustible solvent and burned in a chemical incinerator equipped with an after burner and scruber. This product can also be sent to an EPA approved waste disposal facility. Observe all federal, state and local environmental regulations when disposing of this material.

· Uncleaned packaging

- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport Information

- · UN-Number:
- · DOT, ADR/ADN, ADN, IMDG, IATA
- UN proper shipping name:
- · DOT, ADR/ADN, ADN, IMDG, IATA
- Transport hazard class(es):
- · DOT, ADR/ADN, ADN, IMDG, IATA
- · Class:

Non-Regulated Material

Non-Regulated Material

Non-Regulated Material

3

3



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/08/2021

Reviewed on 06/08/2021

| Packing group: DOT, ADR/ADN, IMDG, Environmental hazards Special precautions for Transport in bulk acco MARPOL73/78 and the UN "Model Regulation" | s: Not applicable. r user: Not applicable. rding to Annex II of IBC Code: Not applicable. |
|---|--|
| Regulatory Informa | ation |
| No further relevant inform SARA (Superfund Ame | endments and Reauthorization): |
| | hazardous substances): |
| None of the ingredients a | are listed. |
| Section 313 (Specific to | • • |
| None of the ingredients a | are listed. |
| TSCA (Toxic Substanc | , |
| All components have the | value ACTIVE. |
| Hazardous Air Pollutar | nts |
| None of the ingredients a | are listed. |
| California Proposition | 65: |
| Chemicals known to ca | |
| None of the ingredients a | are listed. |
| Chemicals known to ca | ause reproductive toxicity for females: |
| None of the ingredients a | are listed. |
| Chemicals known to ca | ause reproductive toxicity for males: |
| None of the ingredients a | are listed. |
| Chemicals known to ca | ause developmental toxicity: |
| None of the ingredients a | are listed. |
| New Jersey Right-to-K | now List: |
| 102-71-6 Triethanolam | line |
| 8002-74-2 Paraffin Wax | es |
| New Jersey Special Ha | zardous Substance List: |
| None of the ingredients a | are listed. |
| Pennsylvania Right-to- | Know List: |
| 102-71-6 Triethanolam | line |
| 112-80-1 oleic acid, pu | |
| 8002-74-2 Paraffin Wax | ies |
| | Hazardous Substance List: |
| None of the ingredients a | are listed. |
| Carcinogenic categorie | es: |
| | |



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/08/2021

Reviewed on 06/08/2021

Trade Name: Artificial Apocrine Perspiration

• TLV (Threshold Limit Value established by ACGIH):

None of the ingredients are listed.

• NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

- · GHS label elements Non-Regulated Material
- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material

· National regulations:

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

6 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Contact:

- · Date of last revision/ revision number: 06/08/2021 / 5
- Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

- NIOSH: National Institute for Occupational Safety and Health
- OSHA: Occupational Safety & Health Administration
- TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Eye Irrit. 2B: Serious eye damage/eye irritation - Category 2B

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

• * Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106