

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/25/2024

Reviewed on 03/25/2024

### \* 1 Identification

- **Product Identifier**
- **Trade Name: Artificial Perspiration, AATCC Method 15 (stabilized/non-stabilized)**
- **Product Number:** 1700-0012, 1700-0015, 1700-0527, 1700-0528, 1700-0541, 1700-0555, 1700-0565
- **Relevant identified uses of the substance or mixture and uses advised against:**  
No further relevant information available.
- **Product Description:** Artificial perspiration according to AATCC Test Method 15 stabilized/non-stabilized
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
Pickering Laboratories, Inc.  
1280 Space Park Way  
Mountain View, CA 94043  
Phone: (650) 694-6700  
Fax: (650) 968-0749  
www.pickeringlabs.com  
support@pickeringlabs.com
- **Emergency telephone number:**  
Clean Harbors Environmental Services  
1-800-645-8265

### 2 Hazard(s) Identification

- **Classification of the substance or mixture:**



Sensitization - Skin 1 H317 May cause an allergic skin reaction.

- **Label elements:**
- **Hazard pictograms:**



- **Signal word:** Warning
- **Hazard statements:**  
H317 May cause an allergic skin reaction.
- **Precautionary statements:**
  - P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
  - P272 Contaminated work clothing must not be allowed out of the workplace.
  - P280 Wear protective gloves.
  - P302+P352 If on skin: Wash with plenty of water.
  - P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
  - P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
  - P363 Wash contaminated clothing before reuse.
  - P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Unknown acute toxicity:**  
This value refers to knowledge of known, established toxicological or ecotoxicological values.  
0 % of the mixture consists of component(s) of unknown toxicity.
- **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

(Contd. on page 2)

# Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/25/2024


Reviewed on 03/25/2024

**Trade Name: Artificial Perspiration, AATCC Method 15 (stabilized/non-stabilized)**

· **NFPA ratings (scale 0 - 4)**



· **HMS-ratings (scale 0 - 4)**



· **Hazard(s) not otherwise classified (HNOC):** None

## 3 Composition/Information on Ingredients

- **Chemical characterization: Substance**
- **Description:** Mixture of substances listed below with non-hazardous additions.

· **Dangerous Components:**

CAS: 50-21-5 RTECS: OD 2800000	Lactic Acid ⚠ Acute Toxicity - Inhalation 3, H331; ⚠ Eye Damage 1, H318; ⚠ Skin Irritation 2, H315	<0.5%
CAS: 26172-55-4	Methyl Chloro Isothiazolinone ⚠ Acute Toxicity - Oral 3, H301; ⚠ Acute Toxicity - Dermal 2, H310; ⚠ Acute Toxicity - Inhalation 2, H330; ⚠ Skin Corrosion 1C, H314; ⚠ Eye Damage 1, H318; ⚠ Aquatic Acute 1, H400 (M=100); ⚠ Sensitization - Skin 1A, H317 Specific concentration limits: Skin Corrosion 1C; H314: C ≥ 0.6 % Skin Irritation 2; H315: 0.06 % ≤ C < 0.6 % Eye Damage 1; H318: C ≥ 0.6 % Eye Irritation 2; H319: 0.06 % ≤ C < 0.6 % Sensitization - Skin 1A; H317: C ≥ 0.0015 %	≤2.5%

· **Additional information:**  
The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

## 4 First-Aid Measures

- **Description of first aid measures**
- **General information:** If symptoms persist, call a physician.
- **After inhalation:**  
Not anticipated under normal use.  
In case of unconsciousness place patient stably in the side position for transportation.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation occurs, consult a doctor.
- **After eye contact:**  
Rinse opened eye for several minutes under running water.  
If eye irritation occurs, consult a doctor.
- **After swallowing:**  
Rinse mouth with water ensuring that rinse is not swallowed. Drink 2 glasses of water to dilute and induce vomiting by touching finger to the back of the victims throat. Get medical assistance immediately.  
If swallowed and symptoms occur, consult a doctor.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.

(Contd. on page 3)

# Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/25/2024

Reviewed on 03/25/2024

**Trade Name: Artificial Perspiration, AATCC Method 15 (stabilized/non-stabilized)**

- **Indication of any immediate medical attention and special treatment needed:**  
No further relevant information available.

## 5 Fire-Fighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** No further relevant information.
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Advice for firefighters**
- **Special protective equipment for firefighters:**  
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

## 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures:** Not required.
- **Environmental precautions:** Dilute with plenty of water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.  
Dispose of the collected material according to regulations.
- **Reference to other sections:**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

· <b>PAC-1:</b>		
26172-55-4	Methyl Chloro Isothiazolinone	0.6 mg/m <sup>3</sup>
· <b>PAC-2:</b>		
26172-55-4	Methyl Chloro Isothiazolinone	6.6 mg/m <sup>3</sup>
· <b>PAC-3:</b>		
26172-55-4	Methyl Chloro Isothiazolinone	40 mg/m <sup>3</sup>

## 7 Handling and Storage

- **Handling**
- **Precautions for safe handling:**  
Avoid contact with skin, eyes and clothing  
Avoid breathing fumes.  
Use personal protection equipment as outlined in section 8.  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:**  
Store in dry conditions at a temperature range of 8°C - 25°C.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s):** No further relevant information available.

(Contd. on page 4)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/25/2024

Reviewed on 03/25/2024

**Trade Name: Artificial Perspiration, AATCC Method 15 (stabilized/non-stabilized)**

### 8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:**  
Use adequate exhaust ventilation to prevent inhalation of product vapors.  
Do not eat or drink while handling product.  
The usual precautionary measures for handling chemicals should be followed.  
Immediately remove all soiled and contaminated clothing and wash before reuse.  
Wash hands before breaks and at the end of work.
- **Breathing equipment:**  
Respiratory protection is not required unless handling of the material produces nuisance airborne concentrations.
- **Protection of hands:**



Protective gloves

- **Material of gloves:**  
Latex or vinyl  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material:**  
The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.
- **Eye protection:**



Goggles recommended during refilling.

- **Body protection:** Lab coat
- **Limitation and supervision of exposure into the environment:** None

### 9 Physical and Chemical Properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

<b>Form:</b>	Liquid
<b>Color:</b>	Colorless
<b>Odor:</b>	Odorless
<b>Odor threshold:</b>	Not determined.

(Contd. on page 5)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/25/2024

Reviewed on 03/25/2024

**Trade Name: Artificial Perspiration, AATCC Method 15 (stabilized/non-stabilized)**

- **pH-value @ 20 °C (68 °F):** 4.3
- **Change in condition**
  - Melting point/Melting range:** Not determined.
  - Boiling point/Boiling range:** Not determined.
- **Flash point:** None
- **Flammability (solid, gaseous):** Not applicable.
- **Auto igniting:** Not applicable
- **Decomposition temperature:** Not determined.
- **Ignition temperature:** Product is not self-igniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**
  - Lower:** Not determined.
  - Upper:** Not determined.
- **Vapor pressure:** Not determined.
- **Density:** Not determined.
- **Relative density:** Not determined.
- **Vapor density:** Not determined.
- **Evaporation rate:** Not determined.
- **Solubility in / Miscibility with:**
  - Water:** Aqueous solution
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
  - Dynamic:** Not determined.
  - Kinematic:** Not determined.
- **Solvent content:**
  - Water:** 98.7 %
  - VOC content:** 0.03 %
  - Solids content:** 1.1 %
- **Other information:** No further relevant information available.

### 10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

(Contd. on page 6)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/25/2024

Reviewed on 03/25/2024

**Trade Name: Artificial Perspiration, AATCC Method 15 (stabilized/non-stabilized)**

### 11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**

· <b>LD/LC50 values that are relevant for classification:</b>		
<b>50-21-5 Lactic Acid</b>		
Oral	LD50	3,543 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	7.94 mg/l (Rat)
<b>26172-55-4 Methyl Chloro Isothiazolinone</b>		
Inhalative	LC50/96 hours	1.6 mg/l (Trout)

- **Primary irritant effect:**
- **On the skin:** May cause an allergic skin reaction.
- **On the eye:** No irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

- **Carcinogenic categories:**

· <b>IARC (International Agency for Research on Cancer):</b>
None of the ingredients are listed.

· <b>NTP (National Toxicology Program):</b>
None of the ingredients are listed.

· <b>OSHA-Ca (Occupational Safety &amp; Health Administration):</b>
None of the ingredients are listed.

### 12 Ecological Information

- **Toxicity:**

· <b>Aquatic toxicity:</b>		
<b>50-21-5 Lactic Acid</b>		
EC50	130 mg/l	(Daphnia)
<b>26172-55-4 Methyl Chloro Isothiazolinone</b>		
EC50	0.11-0.16 mg/l	(Green algae)
	4.71 mg/l	(Daphnia)

- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/25/2024

Reviewed on 03/25/2024

**Trade Name: Artificial Perspiration, AATCC Method 15 (stabilized/non-stabilized)**

- **Other adverse effects:** No further relevant information available.

### 13 Disposal Considerations

- **Waste treatment methods**
- **Recommendation:**  
Do not allow product to reach sewage system.  
This product may be mixed with a combustible solvent and burned in a chemical incinerator equipped with an after burner and scrubber. This product can also be sent to an EPA approved waste disposal facility. Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport Information

- **UN-Number:** Non-Regulated Material
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **UN proper shipping name:** Non-Regulated Material
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **Transport hazard class(es):**
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **Class:** Non-Regulated Material
- **Packing group:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

### 15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**  
No further relevant information available.
- **SARA (Superfund Amendments and Reauthorization):**

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

· **Hazardous Air Pollutants**

None of the ingredients are listed.

· **California Proposition 65:**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

# Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/25/2024

Reviewed on 03/25/2024

**Trade Name: Artificial Perspiration, AATCC Method 15 (stabilized/non-stabilized)**

· <b>Chemicals known to cause reproductive toxicity for males:</b>	
None of the ingredients are listed.	
· <b>Chemicals known to cause developmental toxicity:</b>	
None of the ingredients are listed.	
· <b>New Jersey Right-to-Know List:</b>	
7558-79-4	Sodium Phosphate, dibasic
· <b>New Jersey Special Hazardous Substance List:</b>	
None of the ingredients are listed.	
· <b>Pennsylvania Right-to-Know List:</b>	
7558-79-4	Sodium Phosphate, dibasic
· <b>Pennsylvania Special Hazardous Substance List:</b>	
7558-79-4	Sodium Phosphate, dibasic
· <b>Carcinogenic categories:</b>	
· <b>EPA (Environmental Protection Agency):</b>	
None of the ingredients are listed.	
· <b>TLV (Threshold Limit Value established by ACGIH):</b>	
None of the ingredients are listed.	
· <b>NIOSH-Ca (National Institute for Occupational Safety and Health):</b>	
None of the ingredients are listed.	

- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**



- **Signal word:** Warning
- **Hazard statements:**  
H317 May cause an allergic skin reaction.
- **Precautionary statements:**  
 P261 Avoid breathing dust/fume/gas/mist/vapors/spray.  
 P272 Contaminated work clothing must not be allowed out of the workplace.  
 P280 Wear protective gloves.  
 P302+P352 If on skin: Wash with plenty of water.  
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).  
 P363 Wash contaminated clothing before reuse.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **National regulations:**  
The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of  
(Contd. on page 9)



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/25/2024

Reviewed on 03/25/2024

**Trade Name: Artificial Perspiration, AATCC Method 15 (stabilized/non-stabilized)**

this information and the suitability of the material or product for any particular purpose.

· **Contact:**

· **Abbreviations and acronyms:**

- ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
- ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety and Health
- OSHA: Occupational Safety & Health Administration
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Acute Toxicity - Dermal 2: Acute toxicity – Category 2
- Acute Toxicity - Inhalation 3: Acute toxicity – Category 3
- Skin Corrosion 1C: Skin corrosion/irritation – Category 1C
- Skin Irritation 2: Skin corrosion/irritation – Category 2
- Eye Damage 1: Serious eye damage/eye irritation – Category 1
- Sensitization - Skin 1: Skin sensitisation – Category 1
- Sensitization - Skin 1A: Skin sensitisation – Category 1A
- Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

· **\* Data compared to the previous version altered.**

SDS created by MSDS Authoring Services    [www.msdsauthoring.com](http://www.msdsauthoring.com)    +1-877-204-9106